

1 Bill No. S-88-0133

2 SPECIAL ORDINANCE NO. S- 28-88

3 An ORDINANCE approving City
4 Utilities Purchase Order
5 # No. 09861, by the City
6 of Fort Wayne, Indiana, by
7 and through its Department
8 of Purchasing, and Chem Care,
9 Incorporated, for the Water
10 Pollution Control Plant.


11 NOW, THEREFORE, BE IT ORDAINED BY THE COMMON
12 COUNCIL OF THE CITY OF FORT WAYNE, INDIANA:

13 SECTION 1. That City Utilities Purchase Order
14 No. 09861, between the City of Fort Wayne, by and through
15 its City Utilities, and the Department of Purchasing with
16 Chem Care, Incorporated, for the Water Pollution Control
17 Plant, respectfully for:


18 the disposal of three (3)
19 electrical transformers from
20 the Water Pollution Plant;

21 involving a total cost of Nine Thousand, One Hundred
22 Eighty-Nine and 25/100 (\$9,189.25), all as more particularly
23 set forth in said Purchase Order #09861, which is on file
24 in the Office of the Department of Purchasing, and is be
25 reference incorporated herein, made a part hereof, and
26 is hereby in all things ratified, confirmed and approved.

27 SECTION 2. That this Ordinance shall be in full
28 force and effect from and after its passage and any and
29 all necessary approval by the Mayor.

30 
31 Councilmember

32 APPROVED AS TO FORM
AND LEGALITY

33 
34 J. TIMOTHY MCCAULAY, City Attorney



Chemical Waste Management, Inc.

4636 Adams Center Road
Fort Wayne, Indiana 46806
219/447-5585

PLEASE HAND DELIVER

December 22, 1987

Carol J. Offerle
City of Fort Wayne
Department of Purchases
#1 East Main Street-Room 350
Fort Wayne, IN 46802

Re: Quotation Request 003380 for transportation and disposal
of three electrical transformers that contain PCB contam-
inated oil

Dear Ms. Offerle,

I am pleased to offer you the following quotation for the above
referenced materials:

Transportation to disposal site	\$2535.00
Carcass Disposal	3378.00
Drain/Flush/Disposal of Oil	5929.20

The transformers will be transported and disposed of by Chemical
Waste Management, Inc. via processing at General Electric in Chicago.

High temperature incineration will occur at SCA Chemical Services
in Chicago, a Chemical Waste Management company. Carcass disposal
will be provided by secure EPA approved landfill by Chemical Waste
Management at Emelle, Alabama.

Chemical Waste Management is the world's largest handler of hazardous
waste. We are in a unique position to offer you a full range of
services for PCB disposal. CWM vehicles carry the required \$5,000,000
of insurance and exhibit one of the safest service records in the
industry.

I hope you will give serious consideration to the above information.

Very Truly Yours,

Susan Griggs
Susan Griggs

Technical Sales Representative

Note: Request for quotation will be followed up on
the City of Fort Wayne Quotation request form
as soon as possible.



CHEM-CARE, INC.

3416 S. Post Road • P.O. Box 39076 • Indianapolis, IN 46239
Phone: 317-862-5195

The City of Fort Wayne
One Main Street Room 350
Fort Wayne, IN 46805

December 16, 1987

Attention: Carol J. Offerle

Reference: RFQ No. 3380
Transformer Quote

QUOTATION

Pick up for final disposal, three (3) electrical transformers that contain P.C.B. contaminated oil.

The transformers are 10,000 lbs. each, 10'-6" height, 8'-0" Long, 6'-8" wide, and contain 395 gallons of oil each.

- a. Transformer - 220 ppm PCB's
- b. Transformer - 173 ppm PCB's
- c. Transformer - 210 ppm PCB's

Drain, Flush, Haul Liquid to authorized disposal site.
Transport Carcass to authorized disposal site.

All work done within the framework of EPA regulations.

Total Price - Including transportation - \$9189.25 due 30 days after removal.

Pickup will be arranged in approximately 30-60 days from time your purchase order is received by our office. We appreciate the opportunity to respond to this quotation.

Sincerely,

Chem-Care, Inc.

Charles A. Streich, President
CAS/nm
cc:CAS File

Products And Services To Protect The Environment

Associates: O A Laboratories
Indianapolis, IN.

Read the first time in full and on motion by Burns, seconded by Delaney, and duly adopted, read the second time by title and referred to the Committee on City Utilities (and the City Plan Commission for recommendation) and Public Hearing to be held after due legal notice, at the Council Conference Room 128, City-County Building, Fort Wayne, Indiana, on _____, 19____, at _____ o'clock _____ M., E.S.T.

DATED: 1-26-88

Sandra E. Kennedy
SANDRA E. KENNEDY, CITY CLERK

Read the third time in full and on motion by Burns, seconded by Delaney, and duly adopted, placed on its passage. PASSED ~~LOST~~ by the following vote:

	AYES	NAYS	ABSTAINED	ABSENT
TOTAL VOTES	<u>9</u>			
BRADBURY	<u>✓</u>			
BURNS	<u>✓</u>			
GiaQUINTA	<u>✓</u>			
HENRY	<u>✓</u>			
LONG	<u>✓</u>			
REDD	<u>✓</u>			
SCHMIDT	<u>✓</u>			
STIER	<u>✓</u>			
TALARICO	<u>✓</u>			

DATED: 2-9-88

Sandra E. Kennedy
SANDRA E. KENNEDY, CITY CLERK

Passed and adopted by the Common Council of the City of Fort Wayne, Indiana, as (ANNEXATION) (APPROPRIATION) (GENERAL)

(SPECIAL) (ZONING MAP) ORDINANCE RESOLUTION NO. 28-88

on the 9th day of February, 1988

Sandra E. Kennedy ATTEST
SANDRA E. KENNEDY, CITY CLERK

Thomas P. Henry SEAL
PRESIDING OFFICER

Presented by me to the Mayor of the City of Fort Wayne, Indiana, on the 10th day of February, 1988 at the hour of 11:30 o'clock _____ M., E.S.T.

Sandra E. Kennedy
SANDRA E. KENNEDY, CITY CLERK

Approved and signed by me this 10th day of February, 1988, at the hour of 11:40 o'clock A M., E.S.T.

Paul Helmke
PAUL HELMKE, MAYOR

DIGEST SHEET

TITLE OF ORDINANCE: SPECIAL

DEPARTMENT REQUESTING ORDINANCE: PURCHASING

SYNOPSIS OF ORDINANCE:

88-01-33

An ordinance approving City Utilities Purchase Order #09861 with respect to the disposal of three (3) electrical transformers from the Water Pollution Control Plant, Per the specifications in Reference #3380. This is the lowest cost to the City of Two (2) bids.

EFFECT OF PASSAGE:

Transformaers containing PCP contaminated oil will be legally disposed of.

EFFECT OF NON-PASSAGE:

If the City does not properly dispose of the contaminated transformers, we will be in violation of an E.P.A. stipulation, and could be fined a penalty.

MONEY INVOLVED (Direct costs, Expenditures, Savings):

Chem Care, Inc.

\$9,189.25+/-

ASSIGNED TO COMMITTEE (President):

BILL NO. S-88-01-33

REPORT OF THE COMMITTEE ON CITY UTILITIES

WE, YOUR COMMITTEE ON CITY UTILITIES TO WHOM WAS
REFERRED AN (ORDINANCE) (~~RESOLUTION~~) approving City
Utilities Purchase Order #09861, by the City of Fort Wayne,
Indiana, by and through its Deaprtment of Purchasing, and
Chem Care, Incorporated, for the Water Pollution Control
Plant

HAVE HAD SAID (ORDINANCE) (~~RESOLUTION~~) UNDER CONSIDERATION
AND BEG LEAVE TO REPORT BACK TO THE COMMON COUNCIL THAT SAID
(ORDINANCE) (~~RESOLUTION~~)

YES

NO

PAUL M. BURNS
CHAIRMAN

CHARLES B. REDD
VICE CHAIRMAN

MARK E. GiaQUINTA

SAMUEL J. TALARICO

JAMES S. STIER

CONCURRED IN 2-9-88

Sandra E. Kennedy
Sandra E. Kennedy
City Clerk